

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report TR 82-04	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Climatology of Surface Infrared Extinction Coefficients in the North Atlantic Ocean Region		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) Terry Brown and Andreas K. Goroch		6. PERFORMING ORG. REPORT NUMBER TR 82-04
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Environmental Prediction Research Facility Monterey, CA 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PE 62759N PN WF59-551-02 NEPRF WU 6.2-15
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Ocean Systems Center San Diego, CA 92152		12. REPORT DATE August 1982
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Material Command Department of the Navy Washington, DC 20360		13. NUMBER OF PAGES 92
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. SECURITY CLASS. (of this report) UNCLASSIFIED
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Infrared extinction Climatology		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A climatology of extinction coefficients for the 3-5 and 8-12 micrometer bands is presented for the North Atlantic Ocean region. Isopleths of mean extinction coefficients are provided for each month. Contours of the standard deviation of the extinction coefficients are given for the months of January and July. The magnitude of the standard deviation frequently exceeds the mean value, and indicates the extreme variability of infrared extinction in this region.		

AN (1) AD-A121 103
FG (2) 040200
FG (2) 200600
CI (3) (U)
CA (5) NAVAL ENVIRONMENTAL PREDICTION RESEARCH FACILITY
MONTEREY CA
TI (6) Climatology of Surface Infrared Extinction Coefficients
in the North Atlantic Ocean Region.
TC (8) (U)
DN (9) Final technical rept.,
AU (10) Brown, Terry
AU (10) Goroch, Andreas K.
RD (11) Aug 1982
PG (12) 96p
RS (14) NEPRF-TR-82-04
PJ (16) F59551
TN (17) WF5955102
RC (20) Unclassified report
DE (23) *Intermediate infrared radiation, *Extinction,
Coefficients, North Atlantic Ocean, Ocean surface,
Climate, Seasonal variations, Standard deviation, Charts
DC (24) (U)
ID (25) *Extinction coefficient, PE62759N, WU6215
IC (26) (U)
AB (27) A climatology of extinction coefficients for the 3-5
and 8-12 micrometer bands is presented for the North
Atlantic Ocean region. Isopleths of mean extinction
coefficients are provided for each month. Contours of
the standard deviation of the extinction coefficients
are given for the months of January and July. The
magnitude of the standard deviation frequently exceeds
the mean value, and indicates the extreme variability
of infrared extinction in this region. (Author)
AC (28) (U)
DL (33) 01
SE (34) F
CC (35) 407279



NAVENVPREDRSCHFAC
TECHNICAL REPORT
TR 82-04

LIBRARY
RESEARCH REPORTS DIVISION
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA 93940

NAVENVPREDRSCHFAC TR 82-04

CLIMATOLOGY OF SURFACE INFRARED EXTINCTION COEFFICIENTS IN THE NORTH ATLANTIC OCEAN REGION

Terry Brown and Andreas K. Goroch
Naval Environmental Prediction Research Facility

AUGUST 1982

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED



NAVAL ENVIRONMENTAL PREDICTION RESEARCH FACILITY,
MONTEREY, CALIFORNIA 93940

CONTENTS

1. Introduction	1
2. Method	1
2.1 Molecular Extinction	1
2.2 Aerosol Extinction	2
2.3 Extinction by Precipitation and Fog	2
3. Results	4
References	5
Figures	6
Distribution	91

1. Introduction

The performance of infrared sensors which detect radiation in either the 3-5 or the 8-12 micrometer band is degraded primarily by molecular water vapor absorption and secondarily by aerosol absorption. The combination of these effects can be expressed by the extinction coefficient.

This climatology presents mean extinction coefficients for the North Atlantic Ocean. The standard deviation of the extinction coefficient is included. The coefficients are calculated from surface observations of meteorological parameters and are categorized diurnally and monthly.

2. Method

Observations made aboard transient ships between 1963 and 1973 were analyzed using an algorithm which evaluates molecular and aerosol absorption separately. The effect of precipitation and fog was also evaluated. Total extinction is the sum of the individual extinction coefficients. The method assumes horizontal homogeneity.

2.1 Molecular Extinction

The primary molecular absorber in the infrared bands is water vapor. The extinction model uses a polynomial fit to the correlations between absolute humidity and transmittance developed for LOWTRAN 3B. In converting from transmittance to extinction, a 10 kilometer range was used to approximate the range dependence of the extinction coefficient. The model

incorporates the effect of other atmospheric gases, including nitrogen, methane and ozone. The LOWTRAN 3B model is described by Selby et al. (1976).

2.2 Aerosol Extinction

Two classes of aerosols comprise the marine aerosol burden: a coarse mode generally consisting of sea salt particles produced by wave action; and an accumulation mode consisting of smaller particles which are usually generated over land and transported over the ocean. The size of these aerosols is proportional to the ambient relative humidity with larger equilibrium radii occurring at higher humidities. The total aerosol extinction depends on the aerosol concentration and size distribution.

Aerosol extinction was related to the aerosol distribution by modeling Mie extinction. Size-dependent extinction factors were calculated for each particle size using an approximation of the Mie series. The extinction factors were integrated using Simpson's rule.

Correlations of aerosol extinction with wind speed and relative humidity were fit to the product of two six-term polynomials derived from the aerosol model of Ruhnke and Katz (Katz, 1979). The polynomials are shown in Table 1.

2.3 Extinction by Precipitation and Fog

This climatology assumes the infrared range to equal the visible range when the latter is less than 1 kilometer (Chu and Hogg, 1968). For rainy conditions, the infrared extinction was calculated using the approximate Mie extinction mentioned in

Table 1. Polynomials for aerosol extinction.
(Katz et al., 1979)

(A) Visible

V<10.5				V>10.5			
	V	RH		V	RH		
a ₁	8.0656290E-01	b ₁	-4.0724070E+00	a ₁	-8.5042480E+00	b ₁	-6.1357060E+00
a ₂	4.8520300E-02	b ₂	3.8657170E-01	a ₂	3.7821490E+00	b ₂	5.8396200E-01
a ₃	5.3597340E-03	b ₃	-1.4057360E-02	a ₃	-6.0528960E-01	b ₃	-2.1248330E-02
a ₄	0.	b ₄	2.4963620E-04	a ₄	4.8357760E-02	b ₄	3.7770160E-04
a ₅	0.	b ₅	-2.1680100E-06	a ₅	-1.9157190E-03	b ₅	-3.2840400E-06
a ₆	0.	b ₆	7.3886720E-09	a ₆	3.0789070E-05	b ₆	1.1209860E-08

(B) IR (3-5 μm)

V	RH	V	RH
4.4830400E-01	-1.0954810E+00	-1.5394480E+01	-3.6260420E+00
9.4428620E-02	1.0332880E-01	6.5652260E+00	3.4324990E-01
2.9353200E-02	-3.7567660E-03	-1.0650840E+00	-1.2486140E-02
0.	6.6711950E-05	8.6452940E-02	2.2191880E-04
0.	-5.7940950E-07	-3.4728240E-03	-1.9295010E-06
0.	1.9750270E-09	5.6775010E-05	6.5872470E-09

(C) IR (8-12)

V	RH	V	RH
5.7299230E-01	-4.9008940E-01	-2.2558370E+01	-1.9854980E+00
4.0375010E-02	4.6270000E-02	9.9913630E+00	1.8723860E-01
3.3178700E-02	-1.6824490E-03	-1.7116370E+00	-6.8089500E-03
0.	2.9862250E-05	1.4629840E-01	1.2091620E-04
0.	-2.5918130E-07	-6.2036010E-03	-1.0501340E-06
0.	8.8256150E-10	1.0738750E-04	3.5788830E-09

$$\beta = [a_1 + u(a_2 + V(a_3 + V(a_4 + V(a_5 + Va_6))))] [b_1 + R(b_2 + R(b_3 + R(b_4 + R(b_5 + Rb_6))))]$$

where

$$V = \begin{cases} V-3.5 & V > 4 \text{ m/s} \\ 0.5 & V < 4 \text{ m/s} \end{cases}$$

$$R = RH$$

β = aerosol extinction (1/km)

Para. 2.2 and a Marshall-Palmer raindrop size distribution. The extinction was related to the present weather indicator as shown in Table 2. Extinction due to snow or ice was not calculated.

Table 2. Infrared extinction coefficient as related to present weather indicator.

Present Weather Indicator	Description	Extinction Coefficient (Km^{-1})
50-59	Drizzle	0.035
60	Slight, intermittent rain	
61	Slight, continuous rain	0.2
80	Slight rain shower	
62	Moderate, intermittent rain	
63	Moderate, continuous rain	0.6
81	Moderate or heavy rain shower	
64	Heavy, intermittent rain	
65	Heavy, continuous rain	1.6
82	Violent rain shower	

3. Results

Isopleths of monthly mean extinction coefficient values are shown for each infrared band in Figures 1-72; data are presented for day, night and combined periods. Contours of the standard deviation of the extinction coefficient are shown in Figures 73-84.

Standard deviation statistics are shown only for January and July since the data were too variable for computer contouring. Therefore, subjective analysis of the standard deviation fields was done by hand. The magnitude of the standard deviation is generally larger than the mean value and indicates the extreme variability of infrared extinction over the North Atlantic Ocean. This variability is greatest between 40°N and 60°N .

REFERENCES

- Chu, T. S., and D. C. Hogg, 1968: Effects of precipitation on propagation on propagation at 0.63, 3.5 and 10.6 microns. Bell Sys. Tech. J., 47, N5, 723-759.
- Katz, B. K., 1979: Personal communication.
- Selby, J. E.A., E. P. Shettle, and R. A. McClatchey, 1976: Atmospheric transmittance from 0.25 to 28.5 μm : supplement LOWTRAN 3B, AFGL-TR-76-0258, ADA 040701.

FIGURES

Figures 1-84 are sequenced for the 12 months of the calendar year Jan-Dec, as follows:

Mean Extinction Coefficients, 3-5 Microns

All Hours -- Figs. 1-12 (day and night combined)
Nighttime -- Figs. 13-24
Daytime -- Figs. 25-36

Mean Extinction Coefficients, 8-12 Microns

All Hours -- Figs. 37-48 (day and night combined)
Nighttime -- Figs. 49-60
Daytime -- Figs. 61-72


Extinction Coefficient Standard Deviation, 3-5 Microns*

All Hours -- Figs. 73, 74 (day and night combined)
Nighttime -- Figs. 75, 76
Daytime -- Figs. 77, 78

Extinction Coefficient Standard Deviation, 8-12 Microns*

All Hours -- Figs. 79, 80 (day and night combined)
Nighttime -- Figs. 81, 82
Daytime -- Figs. 83, 84

*Months of January and July only.







FIGURE 2











FIGURE 4














15

FIGURE 9















FIGURE 13





































FIGURE 25




















FIGURE 33




FIGURE 34







FIGURE 35










FIGURE 39




FIGURE 40




FIGURE 41









FIGURE 42
































FIGURE 54








FIGURE 55












FIGURE 60




FIGURE 61




FIGURE 62




FIGURE 63




FIGURE 64




FIGURE 65




FIGURE 66




FIGURE 67




FIGURE 68




FIGURE 69






FIGURE 70










FIGURE 73



80

FIGURE 74










FIGURE 76















FIGURE 81







DISTRIBUTION

COMMANDER IN CHIEF U.S. ATLANTIC FLEET NORFOLK, VA 23511	COMMANDING OFFICER USS SARATOGA (CV-60) ATTN: MET. OFFICER, OA DIV FPO NEW YORK 09587	OFFICER IN CHARGE NAVOCEANCOMDET NAS, WHIDBEY ISLAND OAK HARBOR, WA 98278
CINCLANTFLT ATTN: NSAP SCIENCE ADV. CODE NO4E NORFOLK, VA 23511	COMMANDING OFFICER USS CONSTELLATION (CV-64) ATTN: MET. OFFICER, OA DIV FPO SAN FRANCISCO 96635	OFFICER IN CHARGE NAVOCEANCOMDET NAVAL AIR STATION SAN DIEGO, CA 92145
COMMANDER IN CHIEF U.S. PACIFIC FLEET PEARL HARBOR, HI 96860	COMMANDING OFFICER USS CORAL SEA (CV-43) ATTN: MET. OFFICER, OA DIV FPO SAN FRANCISCO 96632	OFFICER IN CHARGE NAVOCEANCOMDET U.S. NAVAL AIR FACILITY FPO NEW YORK 09523
CINCUSNAVUR NAVELEX DET. ATTN: NSAP SCIENCE ADV. BOX 100 FPO NEW YORK 09510	COMMANDING OFFICER USS ENTERPRISE (CVN-65) ATTN: MET. OFFICER, OA DIV FPO SAN FRANCISCO 96636	OFFICER IN CHARGE NAVOCEANCOMDET NAS, OCEANA VIRGINIA BEACH, VA 23460
COMSECONDFLT ATTN: NSAP SCIENCE ADV. FPO NEW YORK 09501	COMMANDING OFFICER USS KITTY HAWK (CV-63) ATTN: MET. OFFICER, OA DIV FPO SAN FRANCISCO 96634	OFFICER IN CHARGE NAVOCEANCOMDET MONTEREY, CA 93940
COMSIXTHFLT/COMFAIRMED SCIENCE ADVISOR (032) FPO NEW YORK 09501	COMMANDING OFFICER USS MIDWAY (CV-41) ATTN: MET. OFFICER, OA DIV FPO SAN FRANCISCO 96631	OFFICE OF NAVAL RESEARCH EAST/CENTRAL REGIONAL OFFICE BLDG. 114, SECT. D 459 SUMMER ST. BOSTON, MA 02210
DEPUTY COMMANDER OPTEVFOR, PACIFIC NAS, NORTH ISLAND SAN DIEGO, CA 92135	COMMANDING OFFICER USS RANGER (CV-61) ATTN: MET. OFFICER, OA DIV. FPO SAN FRANCISCO 96633	COMMANDING OFFICER NORDA, CODE 101 NSTL STATION BAY ST. LOUIS, MS 39529
OFFICER IN CHARGE OPTEVFOR, SUNNYVALE NAVAL AIR STATION MOFFETT FIELD, CA 94035	OFFICE OF NAVAL RESEARCH CODE 420 ARLINGTON, VA 22217	COMNAVOCEANCOM ATTN: J.W. OWNBEY CODE N542, NSTL STATION BAY ST. LOUIS, MS 39529
COMMANDING OFFICER USS AMERICA (CV-66) ATTN: MET. OFFICER, OA DIV FPO NEW YORK 09531	CHIEF OF NAVAL OPERATIONS (OP-952) U.S. NAVAL OBSERVATORY WASHINGTON, DC 20390	COMMANDING OFFICER NAVOCEANO LIBRARY NSTL STATION BAY ST. LOUIS, MS 39522
COMMANDING OFFICER USS FORRESTAL (CV-59) ATTN: MET. OFFICER, OA DIV FPO MIAMI 34080	CHIEF OF NAVAL OPERATIONS NAVY DEPT. OP-986 WASHINGTON, DC 20350	COMMANDING OFFICER NAVEASTOCEANCEN MCADIE BLDG. (U-117) NAVAL AIR STATION NORFOLK, VA 23511
COMMANDING OFFICER USS INDEPENDENCE (CV-62) ATTN: MET. OFFICER, OA DIV. FPO NEW YORK 09537	NAVAL DEPUTY TO THE ADMINISTRATOR, NOAA RM 200, PAGE BLDG. #1 3300 WHITEHAVEN ST. NW WASHINGTON, DC 20235	COMMANDING OFFICER U.S. NAVOCEANCOMCEN BOX 31 (ROTA) FPO NEW YORK 09540
COMMANDING OFFICER USS J.F. KENNEDY (CV-67) ATTN: MET. OFFICER, OA DIV. FPO NEW YORK 09538	OFFICER IN CHARGE NAVOCEANCOMDET NAVAL AIR STATION BRUNSWICK, ME 04011	COMMANDING OFFICER NAVOCEANCOMFAC P.O. BOX 85, NAS JACKSONVILLE, FL 32212
COMMANDING OFFICER USS NIMITZ (CVN-68) ATTN: MET. OFFICER, OA DIV. FPO NEW YORK 09542	OFFICER IN CHARGE NAVOCEANCOMDET NAVAL AIR STATION CECIL FIELD, FL 32215	COMMANDING OFFICER NAVOCEANCOMFAC NAS, NORTH ISLAND SAN DIEGO, CA 92135
COMMANDING OFFICER USS EISENHOWER (CVN-69) ATTN: MET. OFFICER, OA DIV. FPO NEW YORK 09532	OFFICER IN CHARGE NAVOCEANCOMDET NAVAL AIR STATION LEMOORE, CA 93245	SUPERINTENDENT LIBRARY REPORTS U.S. NAVAL ACADEMY ANNAPOLIS, MD 21402
COMMANDING OFFICER USS C. VINSON (CVN-70) ATTN: MET. OFFICER, OA DIV. FPO NEW YORK 09558	OFFICER IN CHARGE U.S. NAVOCEANCOMDET APO SAN FRANCISCO 96519	

COMMANDER NAVAIRSYSCOM LIBRARY (AIR-00D4) WASHINGTON, DC 20361	(2)	NAVAL POSTGRADUATE SCHOOL METEOROLOGY DEPT., CODE 63 MONTEREY, CA 93940	COMMANDER & DIRECTOR ATTN: DELAS-DM-A U.S. ARMY ATMOS. SCI. LAB. WHITE SANDS MISSILE RANGE WHITE SANDS, NM 88002
COMMANDER NAVAIRSYSCOM (AIR-33) WASHINGTON, DC 20361		NAVAL POSTGRADUATE SCHOOL OCEANOGRAPHY DEPT., CODE 68 MONTEREY, CA 93940	COMMANDER & DIRECTOR ATTN: DELAS-AS-P U.S. ARMY ATMOS. SCI. LAB. WHITE SANDS MISSILE RANGE WHITE SANDS, NM 88002
COMMANDER NAVAL SEA SYSTEMS COMMAND ATTN: LCDR S. GRIGSBY PMS-405/PM-22 WASHINGTON, DC 20362	(5)	LIBRARY NAVAL POSTGRADUATE SCHOOL MONTEREY, CA 93940	COMMANDER & DIRECTOR ATTN: DELAS-E0 U.S. ARMY ATMOS. SCI. LAB. WHITE SANDS MISSILE RANGE WHITE SANDS, NM 88002
COMMANDER NAVAIRDEVcen (3011) ATTN: P. MOSIER WARMINSTER, PA 18974		COMMANDING GENERAL FLEET MARINE FORCE, LANT (G4) ATTN: NSAP SCIENCE ADVISOR NORFOLK, VA 23511	DIRECTOR (12) DEFENSE TECHNICAL INFORMATION CENTER, CAMERON STATION ALEXANDRIA, VA 22314
COMMANDER NAVAL SURFACE WEAPONS CENTER DR. B. KATZ, WHITE OAKS LAB SILVER SPRING, MD 20910		USAFETAC/TS SCOTT AFB, IL 62225	COMMANDANT (G-DST-2) ATTN: LCDR J. MILSAP HQ USCG 2100 2ND ST., NW WASHINGTON, DC 20593
COMMANDER PACMISTESTCEN GEOPHYSICS OFFICER, CODE 3250 PT. MUGU, CA 93042		AFGL/LY HANSOM AFB, MA 01731	
		AFOSR/NC BOLLING AFB WASHINGTON, DC 20312	

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01078745 0

U203695